

The IM 7000/IM 8000/IM 9000: Our latest range of intelligent printers are designed to revolutionise workforce printing

The IM 7000/IM 8000/IM 9000 are at the top end of our range of black and white multifunction office printers. Designed to keep pace with streamlined processes and smarter ways of working, they are scalable, secure, sustainable and simple.

These high perfomance models eradicate the need for multiple devices to do your printing and scanning. While the intelligent design means no more printing-related delays.

In fact, the IM 7000/IM 8000/IM 9000 trio of printers have all been specifically designed with speed in mind. They are the fastest of all of our all-in-one black and white office printers.

- Work smarter download and install new features, applications and upgrades whenever you need them.
- Save time the human detection sensor wakes the devices up before you touch the control panel, cutting waiting times and improving productivity.
- Print and scan more securely prevent data and printing from being compromised with multi-layered security features.
- Improve your carbon footprint the devices contain a high ratio of recycled materials.
- Work faster scan at 240 impressions per minute in black and white and colour and detect small paper sizes (e.g bank slips).

The IM 7000/IM 8000/IM 9000 high-speed all-in-one printers have taken printing to a whole new level, thanks to their intuitive and cutting-edge features that are being continuously updated to incorporate up-to-the-minute developments.

The IM 7000/IM 8000/IM 9000 are at the top end of our range of black and white multifunction office printers.

Scalable. Secure. Sustainable. Simple.

Scalable: Futureproof your printing

Technology's rapidly-evolving and this includes printing technology. Our Always Current Technology means our all-inone printers always keep pace with the very latest features and functionality, regardless of when you purchased your device.

Secure: Work more securely

Keeping documents secure is a growing concern and challenge. Prevent your data and printing from being compromised with multi-layered security features that riskproof document management.

Sustainable: Improve your carbon footprint

The IM 7000/IM 8000/IM 9000 contain 16.5% recycled materials by weight (recycled steel and post-consumer recycled plastics), one of the highest recycled content ratios for devices within their range so far.

Pioneering printing for forward-thinking workplaces

Working environments are becoming more streamlined by the day. From apps and smart devices to virtual meetings and Cloud workspaces, every element of office working is evolving by the second.

The IM 7000/IM 8000/IM 9000, our latest range of intelligent printers are designed to revolutionise workforce printing - No more using multiple devices to do your printing and scanning.

- And no more being let down or slowed down by your printing tasks either.

With their intuitive and cutting-edge features, that are being continuously updated to incorporate up-to-the-minute developments, our IM 7000/IM 8000/IM 9000 high-speed allin-one printers have taken printing to a whole new level.



IM 7000/IM 8000/IM 9000 key features - at a glance

• Ricoh Always Current Technology - download and install new features, applications and upgrades whenever you need them and keep your printing operations on track with your business plans.

• Smart Operation Panel – use the touchscreen control panel to effortlessly customise, manage and add new features.

Rapid scanning features – scan at 240 impressions per minute in black and white and colour, and detect small paper sizes (e.g bank slips), with state-of-the-art scanning features that seamlessly integrate with existing scanning workflows.
Enhanced user experience – highly intuitive, the IM 7000/ IM 8000/IM 9000 are designed with the user experience in mind. The human detection sensor wakes the devices up before you touch the control panel, cutting waiting times and improving productivity.

• More finishing capabilities – thanks to features, including the stapler and booklet finishers, two multi-folding units and large capacity trays.

The IM 7000/IM 8000/IM 9000 trio of printers are the fastest of all of our all-in-one black and white office printers.

Work faster and more efficiently

You may be working faster, but what about your all-in-one printers? Are they geared up to help you work more efficiently? Today's always-switched-on, fast-paced world means we're more responsive than ever before. The good news: the IM 7000/IM 8000/IM 9000 trio of printers have all been designed with speed in mind. The even better news: these high performance models are the fastest of all of our all-in-one black and white office printers. The end result: Reduce the time you spend on printing . As a digital services company, our IM 7000/IM 8000/IM 9000 devices are designed to optimize your digital workflows with a suite of end-to-end apps and advanced solutions.

Optimize digital workflows: Share and instantly use all types of information, thanks to the MFP Cloud connection.
Intuitive and fast operation: The Smart Operation Panel provides consistent operability across multiple devices in our portfolio. Simply follow the steps on screen.



What more productive printing looks like

Our all-in-one printers free you up so that you can spend more time on other tasks:

- Print up to 90 black and white prints/copies per minute.
- Scan at 240 impressions per minute in black and white and colour (duplex) and 120 impressions per minute (simplex).
- The small paper scan unit can be used to process bank checks and application slips to suit your requirements.
- Use the intuitive touchscreen Smart Operation Panel to automate workflows, giving you more time to focus on core activities.



More than just a printer and scanner...

Why use the IM 7000/IM 8000/IM 9000 to just do your printing and scanning when they can be used to do so much more?

- Smart Device Connector app print, scan, copy and share documents smartly and safely from your smartphones and tablets.
- Set up for remote working.
- Tailor your device to deliver workflow solutions that meet your business needs, the moment they arise.
- Connect remotely, smartly and safely, from anywhere, at any time
- Reduce downtime with always-on Ricoh Intelligent Support.

The IM 7000/IM 8000/IM 9000 have been designed with functionality and productivity in mind.

Why simply print, when you can print smarter?

We live in a world, where most of us have a smartphone in our pocket and some other type of device on our desk. So it only makes sense to use smart all-one-in-printers too; that are intelligent enough to easily connect and integrate with your workflows, are as easy to configurate as they are to operate, and are as intuitive as they are functional.

The Ricoh Smart Integration Platform.

Provides Cloud-based apps and document workflow integration across your devices. Use the platform to connect the IM 7000/IM 8000/IM 9000 to Cloud services, such as Dropbox, Google Drive, Office 365 and DocuWare, and work smarter and increase productivity in the process.

The Ricoh Smart Operation Panel

The Ricoh Smart Device Connector.

Use our free app to set up touchless operation on the IM 7000/IM 8000/IM 9000. It enables you to control all print, copy, scan and fax functions from Android and iOS devices smartly and safely. Access digital files directly from devices or Cloud applications and send them to your printer, so they're ready and waiting for you when you need them. This one app alone can help you create a safe and secure working environment for all users, including employees and students.

The 10.1-inch Smart Operation Panel on the IM 7000/IM 8000/IM 9000 achieves more intuitive document management and simplified operation. Manage, remove and add more features to your device.

When you want to simplify and improve your document processes, the panel enables you to achieve just that, while delivering high quality printing and more efficient workflows at the same time. Touch, swipe and get the job done, thanks to features, including a completely customisable home screen and full internet browser capability.

Connect and operate from mobile devices

Integrate with independent smartphones and tablets and print from virtually anywhere. Scan documents and directly save them in full colour to email, portable media and folders to speed up workflows.

Accelerate and simplify operations

The panel's so straightforward to operate that all employees can efficiently use it and, thanks to the customisable options, really make it their own for even faster printing and scanning.

Make information instantly accessible, ready to use and share

Is your IT infrastructure costing you too much? Do you have too much paper in your office and need to increase document digitisation? Are you spending too much time on filing?

Integrate your Cloud

Connect your Ricoh device to external Cloud services, such as Google Drive and Office 365.

Improve your workflows

Work faster, smarter and more cost effectively by automating everyday workflows.

Get started quickly

Easy to download and set up, you can trial the apps before you buy.

With Ricoh Smart Integration you can smartly and safely:

• Convert hard copy documents into editable digital formats and store them on the Cloud.

• Reduce your office, output and paper costs.

• Print documents from storage in the Cloud, without IT servers.

• Automate everyday document workflows to work smarter, faster and more cost effectively.

• Initiate meetings from your interactive whiteboard, and share content via the Cloud.

The IM 7000/IM 8000/IM 9000 have been developed to take care of all your printing and scanning needs.

Work faster, smarter and with greater accuracy

Working faster can result in unwanted errors creeping in. But not if your devices are geared up to work at speed and still perform in every area. It's how the IM 7000/IM 8000/IM 9000 operate. Pioneering features, such as Always Current Technology, mean that once you've invested in one of our devices, you'll have peace of mind that your printing and scanning requirements are all taken care of.

Better scanning

Scan at 240 impressions per minute in black and white and colour, using state-of-the-art scanning features.

Better user experience

Highly intuitive, the IM 700/IM 8000/IM 9000 are designed with the user experience in mind.

Better finishing capabilities

Thanks to features, including the stapler and booklet finishers, two multi-folding units and large capacity trays.

Better problem-solving

Our intelligent support service means we're always on hand to help put things right with our combination of always-on device intelligence and fast support access.

Always Current Technology

Our Always Current Technology enables new features, applications and upgrades to be downloaded and installed directly to your devices on request. Explore our range of applications and features and tailor your device to deliver the workflow solutions that meet your business needs, as they arise. There's no need to call a technician or wait until the end of your contract. Plus, you can rest assured that your devices will constantly be protected with the latest security features.



Dedicated to delivering Dynamic Workplace Intelligence Ricoh has a proud history of industry-leading innovation by developing highly-intelligent, easy-to-use printers and scanners that are driving the digital dimension.

Through our pioneering devices, including the IM 7000/ IM 8000/IM 9000, we're helping businesses to harness the full power of digital to build efficient, sustainable and successful workplaces.

A dynamic workplace means a more agile, capable and productive business


We've helped organisations worldwide deliver outstanding print results and leverage the benefits of digitised work practices to drive efficiencies, productivity and competitive advantage.

Today, no matter which stage of digital transformation your business is at, we can take you further, with our unique combination of intelligent technology and cleverly configured software solutions and applications.

Our Ricoh intelligent ecosystem comprises:

- Intelligent devices
- Intelligent support
- Smart integration

IM 7000/IM 8000/IM 9000 configuration chart



IM 7000/ IM 8000/ IM 9000

MAIN SPECIFICATIONS

CENEDAL	IM 7000	IM 8000	IM 9000				
GENERAL		Canada					
Configuration	Console						
Printing process		Dry, two component & electro-photographic					
Narm-up time First copy speed: B/W	20 seconds 4.7 seconds	20 seconds 4.7 seconds	60 seconds 4.2 seconds				
Continuous output speed	70 ppm	80 ppm	90 ppm				
lemory: standard		2 GB					
lemory: maximum		2 GB					
IDD: standard		320 GB					
IDD: maximum		320 GB					
Veight		200 kg					
Dimensions: W x D x H		690 x 883 x 1,161 mm					
Power source	220 - 240 V, 50 - 60 Hz	220 - 240 V, 50 - 60 Hz	220 - 240 V, 50 - 60 Hz				
COPIER		220 210 1,00 00112					
Aultiple copying		Up to 9,999 copies					
Resolution		600 x 600 dpi					
Zoom							
		From 25% to 400% in 1% steps					
PRINTER							
CPU Printer language: standard	Intel® Apollo Lake Processor 1.6 GHz						
Printer language: standard		, PCL6, PostScript 3 (emulation), PDF direct (e	,				
Printer language: option	Genuine	Adobe® PostScript®3™, IPDS, PDF Direct fro	JIII Adobew				
Print resolution	Ethemat 10 k T/100 k TV/1000 k	Maximum: (1,200 x 1,200 dpi)	- D. Dhusteeth Merchand Abl dere cook				
Network interface: standard		ase-T, USB Host Type A, USB Device I/F Type					
Internet interfaces oution		SB Host I/F, SD slot, NFC tag, USB Device (Ty					
Network interface: option	BI-directional IEEE 1284, Wireless LAN (I	EEE 802.11a/b/g/n), RJ45 I/F (Only Copy conr	nect), Ethernet Print only RJ-45 network p				
Network protocol		TCP/IP (IP v4, IP v6)					
Vindows® environments	Windows® Server 2008R2, Windo	ws® 7/8.1/10, Windows® Server 2008/2012/20	012R2/2016, Windows® Server 2019				
Aac OS environments		Macintosh OS X v10.12 or later					
JNIX environments	UNIX Sun® Solaris, HP-UX	, SCO OpenServer, RedHat® Linux, IBM® Al	X, XenDesktop, Citrix XenApp				
SAP® environments		SAP® R/3®, SAP® S/4®					
SCANNER							
Scanning: B/W	120 ipm (simplex)/240 ipm (duplex)						
÷	120 ipm (simplex)/240 ipm (duplex)						
Scanning: full colour							
Scanning: full colour Resolution: maximum		1,200x1,200 dpi					
Scanning: full colour Resolution: maximum Bundled drivers		1,200x1,200 dpi Network TWAIN					
Scanning: full colour Resolution: maximum Bundled drivers Compression method		1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color					
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats	Single Page TIFF, Single page JPEG, Sir	1,200x1,200 dpi Network TWAIN	n PDF, Single page PDF/A, Multi page TIFI				
Scanning: full colour Resolution: maximum Bundled drivers Compression method	Single Page TIFF, Single page JPEG, Sir	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Colo Igle page PDF, Single page High compression	n PDF, Single page PDF/A, Multi page TIFf i page PDF/A				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes	Single Page TIFF, Single page JPEG, Sir	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Colo Igle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi	n PDF, Single page PDF/A, Multi page TIF i page PDF/A				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX	Single Page TIFF, Single page JPEG, Sir	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Ingle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX	n PDF, Single page PDF/A, Multi page TIFI i page PDF/A				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility	Single Page TIFF, Single page JPEG, Sir Multi page	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color ngle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility	Single Page TIFF, Single page JPEG, Sir Multi page	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Ingle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission)				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Fransmission speed	Single Page TIFF, Single page JPEG, Sir Multi page	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color rgle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI	n PDF, Single page PDF/A, Multi page TIFI i page PDF/A IB off, memory transmission)				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Transmission speed Wodem speed: maximum	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Igle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI conds (200 x 100 dpi, MMR, ITUT #1 chart TTI	n PDF, Single page PDF/A, Multi page TIFI i page PDF/A IB off, memory transmission) off, memory transmission)				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Transmission speed Modem speed: maximum	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 linefmm, 200 x 1	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Igle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITU #1 chart TTI conds (200 x 100 dpi, MMR, ITUT #1 chart TTI 33.6 Kbps	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, 1				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Dircuit Compatibility Transmission speed Modem speed: maximum Resolution	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 linefmm, 200 x 1	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Igle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 200	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, 7				
Scanning: full colour Resolution: maximum Bundled drivers Compression method Gan modes Can modes	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Ingle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 200 4 line/mm, 400 x 400 dpi (with optional SAF m	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, ' emory)				
Canning: full colour Resolution: maximum Bundled drivers Compression method ille formats Can modes CAX Circuit Compatibility Transmission speed Addem speed: maximum Resolution Compression method Page memory size	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Ingle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM ITU-T (CCITT) G3 ITU-T (CCITT) G3 conds (200 x 100 dpi, MMR, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 200 4 line/mm, 400 x 400 dpi (with optional SAF m MH, MR, MMR, JBIG	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, ' emory) MB				
Scanning: full colour Resolution: maximum Bundled drivers Compression method Gan modes Can modes	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color ngle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 200 4 line/mm, 400 x 400 dpi (with optional SAF m MH, MR, MMR, JBIG tandard: 8 MB, With optional SAF memory: 16	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, 1 emory) MB				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Transmission speed Modem speed: maximum Resolution Compression method Page memory size SAF memory size Memory backup	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color ngle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 200 4 line/mm, 400 x 400 dpi (with optional SAF m MH, MR, MMR, JBIG tandard: 8 MB, With optional SAF memory: 16 roximately 320 pages), Optional: 60 MB (appre	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, 1 emory) MB				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Fransmission speed Modern speed: maximum Resolution Compression method Page memory size SAF memory size Memory backup PAPER HANDLING	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color ngle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 200 4 line/mm, 400 x 400 dpi (with optional SAF m MH, MR, MMR, JBIG tandard: 8 MB, With optional SAF memory: 16 roximately 320 pages), Optional: 60 MB (appro 1 hour(s)	n PDF, Single page PDF/A, Multi page TIFI i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, 1 emory)				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Transmission speed Modem speed: maximum Resolution Compression method Page memory size SAF memory size Memory backup PAPER HANDLING Recommended paper size	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color ngle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 200 4 line/mm, 400 x 400 dpi (with optional SAF m MH, MR, MMR, JBIG tandard: 8 MB, With optional SAF memory: 16 roximately 320 pages), Optional: 60 MB (appre 1 hour(s)	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, 1 emory) MB				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Transmission speed Addem speed: maximum Resolution Compression method Page memory size SAF memory size Alemory backup PAPER HANDLING Recommended paper size Paper input: standard	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Igle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 201 4 line/mm, 400 x 400 dpi (with optional SAF m MH, MR, MMR, JBIG tandard: 8 MB, With optional SAF memory: 16 roximately 320 pages), Optional: 60 MB (appre 1 hour(s) A3, A4, A5, A6, B4, B5, B6 4,300 sheets	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, ' emory) MB				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Transmission speed Modem speed: maximum Resolution Compression method Page memory size SAF memory size Memory backup PAPER HANDLING Recommended paper size Paper input: standard Paper input: bypass	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Igle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 201 4 line/mm, 400 x 400 dpi (with optional SAF m MH, MR, MMR, JBIG tandard: 8 MB, With optional: 60 MB (appre 1 hour(s) A3, A4, A5, A6, B4, B5, B6 4,300 sheets 100 sheets	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, ' emory) MB				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Transmission speed Modem speed: maximum Resolution Compression method Page memory size AFF memo	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Igle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM PSTN, PBX ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 200 4 line/mm, 400 x 400 dpi (with optional SAF m MH, MR, MMR, JBIG tandard: 8 MB, With optional SAF memory: 16 roximately 320 pages), Optional: 60 MB (appre 1 hour(s) A3, A4, A5, A6, B4, B5, B6 4,300 sheets 100 sheets 8,700 sheets	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, ' emory) MB				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Transmission speed Modem speed: maximum Resolution Compression method Page memory size SAF memory size Wemory backup PAPER HANDLING Recommended paper size Paper input: standard Paper input: maximum Paper output: standard	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Igle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 200 4 line/mm, 400 x 400 dpi (with optional SAF m MH, MR, MMR, JBIG tandard: 8 MB, With optional SAF memory: 16 iroximately 320 pages), Optional: 60 MB (appre 1 hour(s) A3, A4, A5, A6, B4, B5, B6 4,300 sheets 100 sheets 8,700 sheets 500 sheets	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, ' emory) MB				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Transmission speed Modem speed: maximum Resolution Compression method Page memory size SAF memory size Wemory backup PAPER HANDLING Recommended paper size Paper input: standard Paper input: maximum Paper output: max.	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Igle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 200 4 line/mm, 400 x 400 dpi (with optional SAF m MH, MR, MMR, JBIG tandard: 8 MB, With optional SAF memory: 16 roximately 320 pages), Optional: 60 MB (appre 1 hour(s) A3, A4, A5, A6, B4, B5, B6 4,300 sheets 100 sheets 8,700 sheets 500 sheets 3,500 sheets	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, ' emory) MB				
Scanning: full colour Resolution: maximum Bundled drivers Compression method File formats Scan modes FAX Circuit Compatibility Transmission speed Modem speed: maximum Resolution Compression method Page memory size SAF memory size Wemory backup PAPER HANDLING Recommended paper size Paper input: standard Paper input: maximum Paper output: standard	Single Page TIFF, Single page JPEG, Sir Multi page G3: approximately 2 sec G3: approximately 3 sec Standard mode: 8 x 3.85 line/mm, 200 x 1 x 15	1,200x1,200 dpi Network TWAIN IFF (MH, MR, MMR, JBIG2), Grayscale - Color Igle page PDF, Single page High compression PDF, Multi page High compression PDF, Multi E-mail, Folder, USB, SD Card, URL, FTP, SM ITU-T (CCITT) G3 conds (200 x 100 dpi, JBIG, ITUT #1 chart TTI 33.6 Kbps 00 dpi, Detail mode: 8 x 7.7 line/mm, 200 x 200 4 line/mm, 400 x 400 dpi (with optional SAF m MH, MR, MMR, JBIG tandard: 8 MB, With optional SAF memory: 16 iroximately 320 pages), Optional: 60 MB (appre 1 hour(s) A3, A4, A5, A6, B4, B5, B6 4,300 sheets 100 sheets 8,700 sheets 500 sheets	n PDF, Single page PDF/A, Multi page TIF i page PDF/A IB off, memory transmission) off, memory transmission) off, memory transmission) 0 dpi, Super fine mode: 8 x 15.4 line/mm, ' emory) MB				

IM 7000/ IM 8000/ IM 9000

MAIN SPECIFICATIONS

	IM 7000	IM 8000	IM 9000		
ECOLOGY					0
Power consumption: max.	Less than 1,900 W	Less than 1,900 W	Less than 2,100 W	<u>S</u>	Adobe: PDF
Power consumption: sleep		0.6 W		Adobe [®] PostScript [®] 3 [®]	<i>f</i> -
TEC*	1.326 kWb/week	1.696 kWh/week	2.507 kWb/week		
* It is a reference value based on the ENERGY STAR Ver.3.0 test method.				🚯 Bluetooth	READY
OUTPUT TRAYS AND FINISHER	OPTIONS				
3,000-sheet finisher, 3,000-sheet fin Output jogger unit, Tab sheet holde	Cover interposer, Copy tray, 9-bin mailbox,	Wi Fi certified	mopria		
OTHER OPTIONS					
Fax unit, G3 Interface, Fax connect Enhanced security HDD, External	(Apple AirPrint)				
CONSUMABLES					

Toner (black) Consumable yield based on 5p/j 6% coverage on A4 43,000 prints

COMMISSION REGULATION (EU) 2019/2020. The light source of this product is not intended for applications other than image printing.

Ricoh UK Ltd.

800 Pavilion Drive Northampton Business Park NN4 7YL Northampton United Kingdom +44(0)1604 814900
 www.ricoh.co.uk



ISO9001 certified, ISO14001 certified, ISO27001 certified. All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. The new design colour touch screen on the TRAINING PRODUCT's Smart Operation Panel offers an intuitive and easy to use customer interface.